



Professional Wireless Communication Manufacturer Professional Radio Solutions Provider



MIC

Glohe Communication Technology(Xiamen) Co., Ltd.

Add: 311, Building 2, Guanyinshan International Operation Centre, Siming District, Xiamen, China Email:info@gloheptt.com Tel:86-18030201361









# S



Founded

Floor space

2009 7000

Number of employees

All over the country

300+ 80+

Glohe Communication Technology (Xiamen) Co., Ltd. was established in 2009, with 15 years experience in Two Way Radio manufacture. Is located in Quanzhou(Fujian Province), which covers an area of 7000 square meters, and existing staff of more than 300 people. We specialized in POC Radios, Analog Radios, Repeater, Digital Two Way Radios, In-vehicle Two Way Radios, etc.. And now developed into a modern scientific and technological enterprise group.

OEM/ODM orders accepted. We have our own factory to offer customized product for you and ensures both prompt delivery and reliable quality. And our products are certified under the CE,FCC,RCM,ROHS,BSCI, as well as the ISO9001 quality management standard.

At present, we have established strong production capacity and diversified product series and products are sold all over the world. Proudly serving customers in over 80 countries and regions around the world. Glohe adhered to the service principle of customer first with superior quality to each customer.



Mini DMR Radio

# **D-166H**



- Full Call/Group Call/Single Call
- DMR Communication Encryption
- Large Capacity Battery
- Voice Control Transmission
- End Cancellation
- Scan
- Offline
- Digital-analogue Compatibility
- Wide/Narrow Band Selection
- Busy Channel Lockout
- High/Low Power Selection
- Launch Time Limit
- Through Dual Time Slots

















**DMR Radio** 

**D-566** 



- All Call/Group Call/Single Call
- DMR Encryption
- Stand-alone Voice Encryption
- Voice-activated Launch Function
- Tail Tone Eliminate
- Scan
- 400 Hours Recording/Playback (Optional)
- Offline
- Digital-modular Compatibility
- Wide/Narrow Band Optional
- Busy Channel Lockout
- High/Low Power Options
- Through Dual Time Slots
- IP66 Standard
- Launch Time Limit

DMR Explosionp Proof Radio

## **D-566EX**









- DMR Communication Encryption
- Stand-alone Voice Encryption • Voice-activated Launch Function
- Tail Tone Eliminate
- Scan
- 400 Hours Recording/Playback (Optional)
- Offline
- Digital-modular Compatibility
- Wide/Narrow Band Optional
- Busy Channel Lockout
- High/Low Power Options
- Through Dual Time Slots
- IP66 Standard
- Launch Time Limit



02



• Scan

Offine



**DMR** Radio

DMR Encryption

D-266M

• All Call/Group Call/Single call

• Large Capacity Battery

• Tail Tone Eliminate

• Voice Control Transmission

• Digital-Analog Compatibility

• Wide/Narrow Band Selection

• Busy Channel Lockout • High/Low Power Selection

• Through Dual Time Slots • Launch Time Limit

• DMR Communication Encryption













Gohall

0

46/LTE The POC combines the advantages of the cellphone with two way radio capabilities











**D-366M** 





- Supports Seat-charger/Type-C
- Al Digital Intelligent Noise Reduction
- High-capacity Lithium Battery
- Ultra-long Standby Time
- EN/CN
- Power Saving
- VOX
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-hopping
- Non-standard QT/DQT
- SK1/SK2 Customization (Listen/Voice/ Channel Broadcast)
- QT/DQT
- TOT
- Code Switch
- Anti-magnetic Speaker









## P-186C

#### (4G/LTE)

- 1.45-inch Color Screen
- Polymer Lithium Batter
- Ultra Long Standby Time
- Nationwide Interphone.Single call/Group call/All Call
- Multi-group Monitoring(This Feature Requires Consultation With The Platform Provider)
- Multi-member Single Call(This Feature Requires Consultation With The Platform Provider)
- Interphone Prompt Sound Switch
- Key Lock
- Battery Level Display/Low Battery Alert
- Platform System Upgrade





Push-to-Talk Over Cellular Radio

#### P-286C

- 1.78-inch Color Screen
- Dual SIM Single Standby.Auto/Manual Switch
- GPS(Optional)
- Nationwide Interphone Single call/Group Call/All Call
- Multi-group Monitoring
- Multi-member Private Call
- Interphone Prompt Sound Switch
- Battery Level Display/Low Battery Alert
- Weather Forecast
- Base Station Location
- Recording
- Flashlight Function















Push-to-Talk Over Cellular Radio

P-367C

- 1.77-inch Color Screen
- Polymer Lithium Battery
- GPS(Optional)
- Support Multi-platform Upgrade Switching
- Dual Card Auto/Manual Switch
- Interphone Prompt Sound Switch
- Key Lock
- Battery Level Display/Low Battery Alert
- Native Platform Upgrade











# P-386C

#### (4G/LTE) Dual Card Auto Switch



- 1.78-inch Color Screen
- Dual Card Auto Switch
- Polymer Lithium Battery
- GPS(Optional)
- Ultra Long Standby Time
- Multi-group Monitoring(This Feature Requires Consultation With The Platform Provider)
- Multi-member Private Call(This Feature Requires Consultation With The Platform Provider)
- Interphone Prompt Sound Switch
- Key Lock
- Battery Level Display/Low Battery Alert
- Platform System Software Version Upgrade

















Push-to-Talk Over Cellular Radio

## P-367A









- 1.77-inch Color Screen
- Polymer Lithium Battery
- GPS(Optional)
- Support Multi-platform Upgrade Switching
- Dual Card Auto/Manual Switch
- Interphone Prompt Sound Switch
- Key Lock
- Battery Level Display/Low Battery Alert
- Native Platform Upgrade











Push-to-Talk Over Cellular Radio

P-467C



- 4G LTE Public Network Interphone
- Platform: Poc Global/Real-PTT
- Private Call/Group Call/All Call
- Friend/Group List
- Battery Power Indicator
- Battery Capadity 3000mAh/5000mAh
- Recording
- Type-c USB Charge
- SOS
- GPS(Optional)
- 6 Ways Charger (Optional)



















Push-to-Talk Over Cellular Radio

P-287C

(2G/3G/4G) IP66



- GPS
- Multi-group Monitoring
- Multi-member Single Call
- Native Platform Upgrade
- Interphone Prompt Sound Switch
- Kev Lock
- Battery Level Display/Low Battery Alert
- Platform System: REALPTT
- Support K-headsets
- K-head Write Code Frequency Line
- SK1/SK2 Customization

Push-to-Talk Over Cellular Radio

P-187C

(2G/3G/4G) SOS



- Polymer Lithium Battery
- GPS(Optional)
- Numeric Numbering Single Call Selection
- Multi-group Monitoring
- Multi-member Single Call
- Platform System Upgrade
- Dialing Function (Mobile Phone Card)
- Interphone Prompt Sound Switch
- Key Lock
- Battery Level Display/Low Battery Alert
- Chime On Every Hour
- Platform System: REALPTT













Push-to-Talk Over Cellular Radio

P-387C





- LTE-FDD/WCDMA/GSM.
- 1.7-inch Color Screen
- 20 Operation Buttons
- GPS (Optional)
- Dialing Single Call
- Multi-group Monitoring
- Multi-member Single Call
- SOS
- Interphone Tone Switch
- Battery Display /Low Battery Alert
- Hour reporting
- Voice Support:4K/8K
- Dual Card Automatic/Manual Switch
- Platform System: REALPTT IP66 Waterproof











Push-to-Talk Over Cellular Radio

## P-391C

4G/LTE

- 1.77-inch Color Screen
- Polymer Lithium Battery
- Ultra Long Standby Time
- Nationwide Interphone.Single call/ Group call/All Call
- Multi-group Monitoring
- Multi-member Single Call
- Interphone Prompt Sound Switch
- Key Lock
- Battery Level Display/Low Battery Alert
- Platform System Upgrade
- White/Blue Available













Push-to-Talk Over Cellular Radio

#### P-391A

(4G/LTE) Zello

- 1.77-inch Color Screen
- Polymer Lithium Battery
- Ultra Long Standby Time
- Nationwide Interphone. Single call/ Group call/All Call
- Multi-group Monitoring
- Multi-member Single Call
- Interphone Prompt Sound Switch
- Key Lock
- Battery Level Display/Low Battery Alert
- Platform System Upgrade
- White/Blue Available











Dual-modes Rugged Radio

# AP200C







#### POC

- 1.7-inch Color Screen + 20 Operating Buttons
- Multi-group Monitoring
- Multi-member Single Call
- Battery Level Display/Low Battery Alert
- Direct keypad Numeric Shortcut Single Call
- SOS
- Platform System:REALPTT
- Flashlight
- GPS(Optional)

#### **Analog**

- Code Switch
- Multi-Function Keypad Operation (20)
- Wide/Narrow Band Switching
- High /Low Power Switching
- Scan
- Squelch Level Setting
- QT/DQT
- Receive Priority Setting
- Transit Mode (Analog To Public, Public To Analog)
- Channel Name Edit
- Channel Storage 128 Channels





Dual-modes Rugged Radio

## **AP210**





#### POC

- 1.7-inch Color Screen + 20 Operating Buttons
- Multi-group Monitoring
- Multi-member Single Call
- Battery Level Display/Low Battery Alert
- Direct keypad Numeric Shortcut Single Call
- SOS
- Platform System:REALPTT
- Flashlight
- GPS(Optional)

#### **Analog**

- Code Switch
- Multi-Function Keypad Operation (20)
- Wide/Narrow Band Switching
- High /Low Power Switching
- Scan
- Squelch Level Setting
- QT/DQT
- Receive Priority Setting
- Transit Mode (Analog To Public, Public To Analog)
- Channel Name Edit
- Channel Storage 128 Channels

POC+Analog Dual-modes Rugged Radio

## AP260C





- Multi-group Monitoring
- Multi-member Single Call
- SOS
- GPS(Optional)
- Flashlight
- Transit Mode (Analog To Public, Public To Analog)
- QT/DQT
- Channel Name Edit
- 128 Channels
- IP66 Standard
- Platform System:REALPTT















11

POC+ANALOG



POC+Analog Dual-modes Rugged Radio

# AP588C





#### POC

• 1.7-inch Color Screen + 20 Operating Buttons

- Multi-group Monitoring
- Multi-member Single Call
- Local Platform Upgrade
- Battery Level Display/Low Battery Alert
- SOS

POC+ANALO

- 2000 Members In A Single Call
- Platform System: REALPTT
- IP66 Waterproof Standard
- GPS(Optional)

#### **Analog**

- Multi-Function Keypad Operation (20)
- Wide/Narrow Band Switching
- High /Low Power Switching
- Scan
- Squelch Level Setting
- QT / DQT
- VOX
- Receive Priority Setting
- Transit Mode (Analog To Public, Public To Analog)
- Channel Name Edit
- Channel Storage 128 Channels





VHF 136-174 MHZ ) UHF 400-520 MHZ )

(128 channels) QT / DQT

- AM Mode Air Band (Receive Only)
- 1.77-inch Colour Screen Display (CN/EN)
- Four-segment/Dual-display/Triple-standby
- Busy Channel Lockout
- Power Saving
- V0X
- Scan

**AIR** 

**BAND** 

Gohall

435975

145.1*7*5

MENU MONI A/B

1 SQL 2 POW 3 STEP XV/M

4+/- 5set 6sqt 0scn

7 SAVE 8 FM 9 ABR # #0

- Low Voltage Alert
- Squelch Level Setting
- Support Chinese Broadcast
- DTMF Decoding
- High/Low Power Switching
- Frequency Step: 5/6.25/10/12.5/25/50/100K
- Wide/Narrow Band Switching
- QT / DQT
- Manual Channel Storage/Deletion
- Sweep Function/One-touch Frequency Pairing/Storage
- Launch Time Limit
- Operating Modes: Channel/Frequency/Channel+Frequency
- FM Radio
- SK1/SK2 Customization















Analog Dual Band Portable Two-Way Radio

VHF 136-174 MHZ UHF 400-520 MHZ





- Busy Channel Lockout
- Power Saving
- V0X
- Scan
- Low Voltage Alert
- Squelch Level Setting
- Support Chinese Broadcast
- DTMF Decoding Function
- High/Low Power Switching
- Frequency Step: 5/6.25/10/12.5/25/50/100K
- Wide/Narrow Band Switching
- QT/DQT
- Manual Channel Storage/Deletion
- Sweep Function/One-touch Frequency Pairing/Storage
- · Launch Time Limit
- Operating Modes: Channel/Frequency/Channel+Frequency
- FM Radio













(2W/1W) VOX 16 Channels

- Power Beep
- 16 Channels
- Power Saving
- V0X
- Scan
- Low Voltage Alert
- Squelch Level Setting
- Key Tone Setting
- End Tone Setting
- Hand-tuned QT/DQT
- Compandor/Scrambler/DSP Encryption
- Dual Launch Keys
- Flashlight
- TYPE-C
- Code Switch

Professional FM Portable Two-Way Radio

# A-202H





- Power Beep
- 128 Channels
- Power Saving
- VOX
- Scan
- Low Voltage Alert
- Squelch Level Setting
- Button Tone Setting
- End Tone Setting
- 10 Call Ringtone Settings
- Compandor, Scrambler, DSP Encryption
- Dual Battery Charger(Optional)
- Multi-color Available









• Wide/Narrow Band Selection

Scan

Gohall

Gohall

F/- FM MON V/M

ohall hall







Professional FM Portable Two-Way Radio

# A-203

QT/DQT) VOX TOT 16 Channels







- Power Saving
- V0X
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-hopping To Prevent Frequency Crosstalk
- Non-standard QT/DQT
- QT/DQT
- PC Material



- TOT

Professional FM Portable Two-Way Radio

A-204H

QT/DQT Anti-magnetic Speaker 16 Channels





- EN/CN
- Power Saving
- V0X

ANALOG

- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-hopping
- Non-standard QT/DQT
- QT/DQT
- TOT





Gohall

A-206

Gol Goh



- LCD Display
- TOT
- VOX
- Low Battery Alert
- High Battery Capacity
- Scan
- Busy Channel Lockout
- Squelch Level Setting
- Strong Anti-interference
- Super Reception
- Wire Copy







F/ FM MON





## A-207H

- Power Beep
- 128 Channels
- Busy Channel Lockout
- Power Saving
- V0X
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- DSP Encryption Function (Frequency-hopping)
- Non-standard QT/DQT
- SK1/SK2 Customization
- QT / DQT



Professional FM Portable Two-Way Radio

# A-210MF

(QT/DQT) VOX TOT 16 Channels



- Flashlight
- Busy Channel Lockout
- V0X
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-hopping(Double Encryption Against Cracking)
- Non-standard QT/DQT
- SK1/SK2 Customization
- QT / DQT

• TOT

Professional FM Portable Two-Way Radio

# A-210M

QT/DQT Anti-magnetic Speaker 16 Channels



- 16 Channels
- VOX
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-hopping
- Non-standard QT/DQT
- SK1/SK2 Customization
- QT/DQT
- TOT
- TYPE-C/Dual Seat-charger (Optional)
- Anti-magnetic Speaker



Professional FM Portable Two-Way Radio





- 16 Channels
- V0X
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-Hopping(Double Encryption Against Cracking)
- Non-standard QT/DQT
- QT/DQT
- TOT
- TYPE-C/Dual Seat-charger (Optional)
- Noise-canceling Version Available





# A-211N



- 16 Channels
- V0X
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-Hopping
- Non-standard QT/DQT
- SK1/SK2 Customization
- QT/DQT
- TOT
- TYPE-C/Dual Seat-charger (Optional)
- Noise-canceling Version Available
- Code Switch



Professional FM Portable Two-Way Radio

A-213





- Ultra-long Standby(10 Days)
- Power Beep
- Power Saving
- V0X
- Scan
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- One-touch Alarm(10 Ringtones Available)
- Compandor
- Frequency-hopping
- Non-standard QT/DQT
- SK1/SK2 Customisation
- QT/DQT
- TOT

Professional FM Portable Two-Way Radio

**A-212** 









- 128 Channels
- 16 Keyboard Keys.Support Manual
- Frequency Input/Storage Frequency
- V0X
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-hopping
- Non-standard QT/DQT
- QT/DQT
- TOT



Professional FM Portable Two-Way Radio

A-214









- 16 Channels
- Power Saving
- V0X
- Scan
- Low Voltage Alert
- Squelch Level Setting
- Key Tone Setting
- End Tone Setting
- Hand-tuned QT/DQT
- Compandor/Scrambler/DSP Encryption
- Dual Launch Keys
- TYPE-C
- Code Switch





# A-215



- Power Beep
- 16 Channels
- Power Saving
- VOX
- Scan
- Low Voltage Alert
- Squelch Level Setting
- Key Tone Setting
- End Tone Setting
- Hand-tuned QT/DQT
- Compandor/Scrambler/DSP Encryption
- Dual Launch Keys
- TYPE-C
- Code Switch



A-217

QT/DQT) VOX 16 Channels

- Power Beep
- 16 Channels
- Power Saving
- V0X
- Scan
- Low Voltage Alert
- Squelch Level Setting
- Key Tone Setting
- End Tone Setting
- Hand-tuned QT/DQT
- Compandor/Scrambler/DSP Encryption
- Dual Launch Keys
- TYPE-C
- Code Switch
- One-touch frequency pairing

Professional FM Portable Two-Way Radio





- Power Beep
- 16 Channels
- Power Saving
- V0X

ANALOG

- Scan
- Low Voltage Alert
- Squelch Level Setting
- Key Tone Setting
- End Tone Setting
- Hand-tuned QT/DQT
- Compandor/Scrambler/DSP Encryption
- Dual Launch Kevs
- TYPE-C
- Code Switch
- One-touch frequency pairin



Professional FM Portable Two-Way Radio

A-501





- 16 Channels
- Power Saving
- V0X
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-hopping
- Non-standard QT/DQT
- SK1/SK2 Customisation (Monitor Voice Control Channel Announcement)
- QT/DQT
- TOT











**A-502** 







- Power Beep
- 16 Channels
- Power Saving
- V0X
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-hopping
- Non-standard QT/DQT
- SK1/SK2 Customization
- QT/DQT
- TOT
- Code Switch









Professional FM Portable Two-Way Radio

A-504

QT/DQT) 5W/1W 16 Channels

- Power Beep
- 16 Channels
- Power Saving
- V0X
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-hopping
- Non-standard QT/DQT
- SK1/SK2 Customization
- QT/DQT
- TOT
- Code Switch



Professional FM Portable Two-Way Radio

# A-504R

(CTCSS/DCS) VOX 16 Channels








- 16 Channels
- High-capacity Lithium Battery
- Ultra-long Standby Time
- Side Key Customization
- 6 Ways charger (optional)



• Scan

• Scrambler

• CTCSS/DCS





• 16 Channels

Power Saving

V0X

Scan

ANALOG

• Low Voltage Alert

• Launch Time Limit

Squelch Level Setting

A-503H

QT/DQT) 5W/1W 16 Channels

- Scrambler
- Compandor
- Frequency-hopping
- Non-standard QT/DQT
- SK1/SK2 Customization
- QT/DQT
- TOT
- Code Switch





# A-505M



- Supports Seat-charger/Type-C
- Al Digital Intelligent Noise Reduction
- High-capacity Lithium Battery
- Ultra-long Standby Time
- V0X
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-hopping
- Non-standard QT/DQT
- SK1/SK2 Customization
- QT/DQT
- TOT



Professional FM Portable Two-Way Radio

## A-901MN



- Supports Seat-charger/Type-C
- Al Digital Intelligent Noise Reduction
- 16 Channels
- Remote Alarm
- Power Saving
- V0X
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-hopping
- Non-standard QT/DQT
- TOT
- Anti-magnetic Speaker

НОТ

Professional FM Portable Two-Way Radio

## A-505MN



(QT/DQT) 5W/1W Anti-magnetic Speaker

- Supports Seat-charger/Type-C
- Al Digital Intelligent Noise Reduction
- High-capacity Lithium Battery
- Ultra-long Standby Time
- V0X
- Scan
- Low Voltage Alert
- Launch Time Limit
- Squelch Level Setting
- Scrambler
- Compandor
- Frequency-hopping
- Non-standard QT/DQT
- TOT
- Anti-magnetic Speaker



Portable Repeater Digital Radio

(10W) Multi Layer Encryption TYPE-C


# A-901R



- Power Beep
- 16 Channels
- Repeater

- Digital Direct Interphone

- High Anti-interference
- Supports 30 Level Jumps
- Low Voltage Alert
- Strong Penetration Ability
- Multi Layer Encryption
- Supports Power Broadcasting
- Support Seat-charger/Type-C
- Remote Alarm













- All Call/Group Call/Single Call
- DMR Encryption
- Stand-alone Voice Encryption
- Voice-activated Launch Function
- Tail Tone Eliminate
- Scan
- 400 Hours Recording/Playback (Optional)
- Offline
- Digital-modular Compatibility
- Wide/Narrow Band Optional
- Busy Channel Lockout
- High/Low Power Options
- Through Dual Time Slots
- IP66 Standard
- Launch Time Limit














#### Repeater

# C8100

#### (VOX) 16 Channels

- Power Beep
- Digital Voice Encryption
- 16 Channels
- Self-contained Co-channel Trunking Repeater
- Intelligent Self-organising Network
- Support 30 Levels Of Hopping
- Digital Interphone
- Strong Anti-interference
- Low Voltage Alert
- Strong Penetration Ability
- High Confidentiality
- Support Power Broadcasting









#### Repeater

# P8108



- 2.4 inch colour screen
- Dual SIM single standby,auto/manual switching
- GPS (optional)
- Extra-long standby time
- Multi-group listening
- Multi-member single call
- Intercom Provides Tone Switch
- Battery display/low battery alert
- SOS
- Platform system software version upgrade

#### Base station

# **D9000**

#### TDMA

- High-definition Large Screen Display
- Adopts 2-time Slot TDMA Technology
- TDMA
- Supports Digital-Analog Dual Standard (Dual Use)
- Large Channel Capacity
- Power Switchable:5W/10W/30W/50W
- Support External Hand Microphone
- Support Color Code(CC) Switching
- Support External Duplexer
- Digital Channel Support 2 Time Slots For Voice Streaming
- Adjustable Volume
- Excellent Thermal Performance
- Optional (Support Extended Function: IP Interconnection Function)





# **ACCESSORIES**





Seat-charger



#### Compatible models:

P-287/P-387/D-566/D-566E/ AP588C/AP588/A-902/UV311



Seat-charger



#### Compatible models:

A-501/A-502/A-503H/A-505N/ A-504/A-504R/UV211



Seat-charger K7

Compatible models: A-203



Seat-charger K8

Compatible models: A-204/A-210M/A-210MF/ A-211/A-211N/A-212/A-213



Type-c K9




Seat-charger



Compatible models:

P-367C/P-367A/P-467/P-187



Seat-charger K4

Compatible models:

A-201/A-202H



Supra-aural Earphone K10



Hand Strap

K14

**ACCESSORIES** 

Acoustic Tube Earphone K11



Seat-charger



Compatible models:

A-204/A-210M/A-210MF/A-211/ A-211N/A-212/A-213



Seat-charger



#### Compatible models:

P-287/P-387/D-566/D-566EX/ AP588C/AP588/A-902/UV311



Bluetooth headset

K12





Hand Microphone K13

